



ISSN: 2321-2152



IJMECE

*International Journal of modern
electronics and communication engineering*

E-Mail

editor.ijmece@gmail.com

editor@ijmece.com

www.ijmece.com

BRAIN TUMOR DETECTION USING CNN

Annarapu Divya Sri¹, Keerthana Elle², Yadlapalli Venakata Pavan Kumar³, R. Annapurna⁴

^{1,2,3}B.Tech Student, Department of CSE (Internet of Things), Malla Reddy College of Engineering and Technology, Hyderabad, India.

⁴Assistant Professor, Department of CSE (Internet of Things), Malla Reddy College of Engineering and Technology, Hyderabad, India.

ABSTRACT— Brain tumor detection is a hazardous task in medical imaging for detecting the tumor which plays a key role in patient outcomes. Brain tumors have continued to increase for the last decade in several countries. Medical images play a very important role in making the right diagnosis for the doctor and in the patient's treatment process. In this study, we are proposing an approach which is a combination of both morphological filtering and convolutional neural networks(CNNs). First, the image is preprocessed then we employ morphological filtering to preprocess the brain MRI images and extract the tumor region. The pre-processing phase involves the use of morphological filtering to enhance the contrast of the brain MRI image and to remove any unwanted noise. The filtered images are then fed into a CNN model with a unique architecture that includes multiple convolutional and pooling layers. The CNN model learns and extracts the important features from the

filtered images and predicts the presence of a tumor. The method can accurately describe the texture features of the shallow layer of the tumor image, thereby enhancing the robustness of the image region description. The CNN model is trained using a large dataset of brain MRI images to identify the presence of tumors. The proposed method provides a simple yet effective way of detecting brain tumors that can aid physicians in making accurate diagnoses and treatment plans.

Keywords: Brain tumor detection, Convolutional neural networks, Morphological filtering, Medical imaging, MRI images, Feature extraction, Classification, Image preprocessing, Deep learning.

I. INTRODUCTION

Brain tumors are a complex and challenging medical condition that requires accurate diagnosis and treatment. Magnetic Resonance Imaging (MRI) is one of the most common imaging techniques used to detect brain

tumors, but the interpretation of MRI images can be challenging due to the complexity of the brain's anatomy and the variability in tumor characteristics. Therefore, the development of accurate and efficient computer-aided methods for brain tumor detection is essential.

Brain tumor detection plays an important role in medical image analysis, as early detection can significantly increase the chances of successful treatment. A combination of morphological filtering and CNN models can be used for brain tumor detection. The morphological filtering techniques can be used to preprocess the medical images and extract relevant features, such as the tumor region. The CNN model can then be trained on these features to classify the image as either containing a tumor or not.

The architecture of the CNN model can vary depending on the specific requirements of the task. However, a common approach is to use a series of convolutional layers followed by pooling layers to learn features at different levels of abstraction. The output of the final convolutional layer is then fed into fully connected layers for classification. The training process involves optimizing the model parameters using backpropagation and

gradient descent to minimize the classification error on a set of labeled images.

In summary, the combination of morphological filtering and CNN models provides a powerful approach for brain tumor detection in medical images. The morphological filtering techniques can preprocess the images and extract relevant features, while the CNN model can learn to classify the images based on these features.

II.EXISTING SYSTEM

Convolutional neural networks (CNNs) have become a popular method for brain tumor detection in recent years. Many existing systems have been proposed that use CNNs to detect brain tumors in MRI images. One major limitation is the requirement for large amounts of training data to achieve high accuracy. Additionally, CNN-based systems may not be suitable for detecting small tumors or tumors with complex shapes.

Another system is the DeepMedic system, which uses a 3D CNN model for brain tumor detection. The DeepMedic system has achieved high accuracy and speed for brain tumor detection, making it a promising tool for clinical use.

In conclusion, there is still room for improvement, and future research may focus on developing more advanced CNN architectures or combining CNNs with other techniques such as morphological filtering or multi-modal imaging for improved brain tumor detection.

III. PROPOSED SYSTEM

Although previous studies achieved significant improvement in brain tumour diagnosis, there is still room for improvement. This research mainly concentrated on overcoming those shortcomings by fine-tuning the deep learning models and improving forecast accuracy.


To get the proper and appropriate result from the MRI Scan images, we are using morphological filtering method and CNN. The pre-processing phase involves the use of morphological filtering to enhance the contrast of the brain MRI image and to remove any unwanted noise. CNN model is a segmentation-free feature extraction techniques that do not require any handcrafted feature extraction methods.

IV. METHODOLOGY PREPROCESSING

The MRI images are taken from many scanners, therefore it has uneven intensity distribution in a variety of camera images. The

data pre-processing is required for better performance of the proposed model. In the preprocessing step, images are resized into 256 X 256 and converted into Gray scale.

In the context of brain tumour detection, morphological filtering can be used to remove noise and enhance the tumour regions in MRI brain scan images. The technique works by highlighting the tumour regions based on their shape and size, while suppressing the non-tumourous regions. This can be done using various morphological filtering operations, such as erosion, dilation, opening, and closing. Erosion is used to shrink the image features, while dilation is used to expand them. Opening is a combination of erosion followed by dilation, and is used to remove small objects from the image. Closing is a combination of dilation followed by erosion, and is used to fill in small gaps in the image.



Morphological filtering can also be used to extract features from the MRI images that can be used for tumor detection. For example, the morphological gradient can be used to extract edges and boundaries between the tumor and normal tissue. The top-hat transform can be used to extract small structures and features that may be indicative of a tumor.

The pre-processed image can then be used as input to the CNN model for classification. The CNN model can learn to extract relevant features from the pre-processed image and use them to classify the image into tumor or non-tumor classes.

In summary, collecting a high-quality, balanced, and annotated image dataset is crucial for developing an accurate and robust brain tumor detection model using morphological filtering and CNNs. Additionally, preprocessing steps such as filtering, and resizing can be applied to the images to improve the accuracy of the tumor feature extraction.

CNN Model

In this model we used 3 conv2D layers and 3 maxpoolong2D layers and 2 Dense layers , these layers used relu activation function and after flatten softmax activation function is used.


The proposed model is trained for 10 epochs and we got 92% accuracy.

Convolutional layer: This layer is responsible for detecting features in the input images. It uses a set of learnable filters (also called kernels) to convolve with the input image and create feature maps. Each filter is designed to detect a specific pattern in the image, such as edges, corners, or blobs.

Maxpooling layer: Maxpooling is a type of down-sampling operation that takes the maximum value within a small rectangular window of the input feature map and outputs it to the next layer. It helps to reduce the dimensionality of the feature maps and improve the computational efficiency of the network.

Dense layer: In CNN architecture, a dense layer is a type of fully connected layer that connects all the neurons from the previous layer to the current layer. The dense layer is typically placed at the end of the network and is responsible for the final classification decision.

Flatten layer: In CNN architecture, the Flatten layer is typically used to convert the output from the previous convolutional and pooling layers into a one-dimensional (1D) feature vector. This is necessary because the fully connected layer, which is typically used at the end of the network, requires a 1D input.



Experimental Results

We have used morphological filtering on our dataset and then applied CNN model to it, which improved the accuracy of Brain Tumor Detection.

V.CONCLUSION

In conclusion, the use of morphological filtering and CNN for brain tumor detection has shown promising results in our studies. Morphological filtering can effectively enhance the features of brain images and extract important information that can be used for classification. CNNs are powerful tools for image recognition and can learn complex features and patterns from image data.

However, further research is needed to optimize the parameters of the morphological filters and CNNs and to test the method on a larger dataset. Additionally, the interpretability of the CNN models should be further investigated to ensure the reliability of the results. Overall, the use of morphological

```

    Epoch 13/25
    83/83 [=====] - 8s 99ms/step - loss: 0.0510 - accuracy: 0.9845 - val_loss: 0.3282 - val_accuracy: 0.9085
    Epoch 14/25
    83/83 [=====] - 8s 98ms/step - loss: 0.0286 - accuracy: 0.9902 - val_loss: 0.3106 - val_accuracy: 0.9254
    Epoch 15/25
    83/83 [=====] - 8s 100ms/step - loss: 0.0403 - accuracy: 0.9860 - val_loss: 0.3595 - val_accuracy: 0.9186
    Epoch 16/25
    83/83 [=====] - 8s 99ms/step - loss: 0.0899 - accuracy: 0.9743 - val_loss: 0.3537 - val_accuracy: 0.9119
    Epoch 17/25
    83/83 [=====] - 8s 98ms/step - loss: 0.0593 - accuracy: 0.9819 - val_loss: 0.4483 - val_accuracy: 0.9119
    Epoch 18/25
    83/83 [=====] - 8s 97ms/step - loss: 0.0633 - accuracy: 0.9808 - val_loss: 0.3890 - val_accuracy: 0.9220
    Epoch 19/25
    83/83 [=====] - 8s 97ms/step - loss: 0.0319 - accuracy: 0.9883 - val_loss: 0.3548 - val_accuracy: 0.9322
    Epoch 20/25
    83/83 [=====] - 8s 99ms/step - loss: 0.0728 - accuracy: 0.9762 - val_loss: 0.4874 - val_accuracy: 0.9186
    Epoch 21/25
    83/83 [=====] - 8s 96ms/step - loss: 0.0944 - accuracy: 0.9732 - val_loss: 0.3449 - val_accuracy: 0.9288
    Epoch 22/25
    83/83 [=====] - 8s 98ms/step - loss: 0.0689 - accuracy: 0.9789 - val_loss: 0.3444 - val_accuracy: 0.9085
    Epoch 23/25
    83/83 [=====] - 8s 98ms/step - loss: 0.0869 - accuracy: 0.9721 - val_loss: 0.4041 - val_accuracy: 0.8983
    Epoch 24/25
    83/83 [=====] - 8s 98ms/step - loss: 0.0728 - accuracy: 0.9762 - val_loss: 0.3457 - val_accuracy: 0.9051
    Epoch 25/25
    83/83 [=====] - 8s 98ms/step - loss: 0.0527 - accuracy: 0.9876 - val_loss: 0.4750 - val_accuracy: 0.9119
    
```

```

    [ ] 1 test_loss, test_acc = model.evaluate(X_test, y_test)
        2 print('Test accuracy:', test_acc)
    
```

```

    11/11 [=====] - 0s 27ms/step - loss: 0.3922 - accuracy: 0.9238
    Test accuracy: 0.9237805008888245
    
```

filtering and CNNs for brain tumor detection shows great potential for improving the accuracy and speed of diagnosis.

VI. REFERENCES

- [1] Tapesh Kumar, Puneet Kumar Yadav, Vrinda Yadav. “ Detection of Brain Tumor using CNN” , Proceedings of the International Conference on Inventive Research in Computing Applications (ICIRCA 2022) IEEE Xplore Part Number: CFP22N67-ART; ISBN: 978-1-6654-9707-7.
- [2] Mandala Jagadeesh , P.Chitra , K.Srilatha , M.Sumanthi , I.Rexiline Sheeba. “ Brain Tumor Classification using CNN Algorithm” Proceedings of the International Conference on Electronics and Renewable Systems (ICEARS 2022) IEEE Xplore Part Number: CFP22AV8-ART; ISBN: 978-1-6654-8425-1.
- [3] S.Gobhinath, S. AnandKumar, R. Dhayalan, P. Ezhilbharathi , R. Haridharan. “ Human Brain Tumor Detection and Classification by Medical Image Processing” 2021 7th International Conference on Advanced Computing & Communication Systems (ICACCS) 978-1-6654-0521-8/21/\$31.00 ©2021 IEEE.
- [4] Fakhri lahmood HAMEED , Omar DAKKAK. “Brain Tumor Detection and Classification Using Convolutional Neural Network(CNN)” 2022 International Congress on Human-Computer Interaction, Optimization and Robotic Applications (HORA) | 978-1-6654-6835-0/22/\$31.00 ©2022 IEEE | DOI: 10.1109/HORA55278.2022.9800032.
- [5] Dr. Chinta Someswararao, R. Shiva Shankar , Sangapu Venkata Appaji, VMNSSVKR Gupta. “Brain Tumor Detection Model from MR Images using Convolutional Neural Network ”, IEEE ICSCAN 2020 ISBN 978-1-7281-6202-7.
- [6] Toufique A. Soomro , Member, IEEE, Lihong Zheng , Member, IEEE, Ahmed J. Afifi, Ahmed Ali , Member, IEEE, Shafiullah Soomro , Ming Yin , Member, IEEE, and Junbin Gao. “ Image Segmentation for MR Brain Tumor Detection Using Machine Learning: A Review” , IEEE REVIEWS IN BIOMEDICAL ENGINEERING, VOL. 16,2023.
- [7] Toğaçar M, Cömert Z, Ergen B. , "Classification of Brain MRI Using Hyper Column Technique with Convolutional Neural Network and Feature Selection Method.", Expert Systems with Applications,2020.
- [8] Shivhare SN, Sharma S, Singh N. , "An efficient brain tumor detection and segmentation in MRI using parameterfree clustering", Machine Intelligence and Signal Analysis, Springer, pp. 485-495, 2019.
- [9] Amin J, Sharif M, Raza M, Saba T, Anjum

MA., "Brain tumor detection using statistical and machine learning method. Computer methods and programs in biomedicine", pp. 69-79, 2019.

[10] Siar M, Teshnehlab M., "Brain Tumor Detection Using Deep Neural Network and Machine Learning Algorithm", 9th International Conference on Computer and Knowledge Engineering (ICCCKE) , IEEE, pp. 363-368, 2019.

[11] Saba T, Mohamed AS, El-Affendi M, Amin J, Sharif M. , "Brain tumor detection using fusion of hand crafted and deep learning features", Cognitive Systems Research,pp.221-30, 2020.

[12] Al-Ayyoub, M., Husari, G., Darwish, O., & Alabed-alaziz, A. , "Machine learning approach for brain tumor detection", 3rd International Conference on Information and Communication Systems - ICICS '12, 2012

[13] Komal Sharma, Akwinder Kaur, Shruti Gujral, "A review on various brain tumor detection techniques in brain MRI images", IOSR Journal of Engineering (IOSRJEN) , pp.6-12, 2014.

[14] Amin, J., Sharif, M., Raza, M., Saba, T., & Anjum, M. A., "Brain Tumor Detection using Statistical and Machine Learning Method", Computer Methods and Programs in Biomedicine, 2019.

[15] L. Kapoor, S. Thakur, "A survey on brain tumor detection using image processing

techniques", International Conference on Cloud Computing, Data Science & Engineering, 2017.